## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Thur per respunse, including the time for reviewing instructions, searching existing data sources. Test on of information. Sund comments regarding this burder extinate or any other ways of this indiction Headquarters Services, Directorare for information, Coerations and Reports, 12-5 Lafferson. per no and to like Aing the illight on or information. Third commonts regarding the builder with mate or any littles duging this gurden, to Washington Headquarters Secures, Cirectorare for inclinations. Operations and Reports 1 Jord to the Ottole of Management and Eudget Proposition Reduction Project 1964-1965. Washington, CC 20503. รือใหล่สะสารที่ of Information ใหญ่ของความอยู่สุดสารที่ for re-Diavis Highway, Suite 1204 (Arrington) จ.ค. 12202-4302

1. AGENCY USE ONLY (Leave blank) | 2. REPORT DATE

3. REPORT TYPE AND DATES COVERED

FINAL REPORT

4. TITLE AND SUBTITLE

Atomic Fountain Microwave Clock

5. FUNDING NUMBERS

61102F

U. AUTHORY

Prof Steven Chu

2301/DS

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Department of Physics, Varian Building Stanford University Stanford, CA 94305-4060

8. PERFORMING ORGANIZATION REPORT NUMBER

AFOSR-TR- 95-0330

9. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES)

AFOSR/NE

THE SHEEL BONEN LARY NOTES

110 Duncan Avenue Suite B115 Bolling AFB DC 20332-0001



0. SPONSORING : MONITORING AGENCY REPORT NUMBER

AFOSR-91-0326

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

13. ABSTRACT (Maximum 200 words)


SEF FINAL REPORT ABSTRACT

19950505 171

DIES COLLEGE RESPECTED 5

14.	. SUBJECT TERMS			15. NUMBER OF PAGES	
				16. PRICE CODE	
17.	SECURITY CLASSIFICATION OF REPORT	18 SECUPITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	
	UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	

## DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Post-It " brand fax transmittal r	nemo 7671 # of pages >
Provest Anderson	FRED GUSTARSON
COGRAVIS/OWNARDS	Co. Phone #
Fax (202) 404-7951	TOAL 4 PLAT

June 7, 1994

## AFOSR Final Project Report for the Grant:

Atomic Fountain Microwave Clock AFOSR-91-0326-A 8/1/91 to 7/31/93

PI: Steven Chu, Stanford University

Accesion For				
NTIS CRA&I DTIC TAB Unannounced Justification				
By Distribution /				
Availability Codes				
Dist	Avail and/or Special			
A-1				

The grant was in support of a research program to explore the possibility of a microwave atomic clock based on an atomic fountain of cesium atoms. During the two year granting period, the following work was done:

- A large magneto-optic trap in a vapor cell was constructed where over  $4 \times 10^{10}$  atoms were trapped at a density on the order of  $10^{11}$  atoms/cm<sup>3</sup>. This work increased the number of atoms optically trapped by a factor of compared to previous work. The optical density of the atoms in this trap has a peak attenuation of  $e^{-175}$ .
- In an invited review article, we examined the prospects for slow atom frequency standards.<sup>2</sup> Most of the systematic effects that limit the current accuracy of today's frequency standards decrease as the velocity of the atoms is reduced. We identified the one possible exception: collisions between ultracold atoms in an atomic fountain could induce a phase shift that would ultimately limit the accuracy of the fountain clock. We brought the problem to the attention of B. Verhaar, who began a series of calculations on the effects of low energy collisions.
- We made the first frequency standard based on an atomic fountain of cesium atoms.<sup>3</sup> Earlier work such as our original atomic fountain [ See M. Kasevich, et al., Phys. Rev. Lett. 63, 612, (1989) ] and the French effort [ Audion, et al. Europhys. Lett. 16, 165, (1991) ], can not be considered to be frequency standards since the magnetic fields were not adequately controlled. Our cesium fountain currently has a short term stability of  $\sim 3 \times 10^{-13}/\tau^{1/2}$ , roughly an order of magnitude better than the PTB frequency standard.

In this same paper, we reported the measurement of the phase shift due to collisions between  $\sim 1~\mu K$  atoms in the atomic fountain. As one goes to lower temperatures, collisions would be dominated by the lowest orbital angular momentum partial waves, and this work was the first measurement of almost exclusively s-wave scattering of atoms.

The measured phase shift was larger than predicted by Verhaar and collaborators. In terms of a limitation of the accuracy of a clock, we suggested ways to reduce the effect without compromising the short term stability of the

clock. We also showed that the relative density could be accurately measured, an extrapolation of our measurements to zero density had an uncertainty of  $3 \times 10^{-14}$ . Based on our results, we feel that the absolute accuracy of an atomic clock based on a cesium fountain can approach  $\Delta \nu / \nu = 10^{-16}$ .

- Using the data taken with our atomic clock, we interpreted the measured collisional frequency shifts using coupled channeled theory and a simple model of hyperfine coupled long range molecular states. With this simple model we were able to extract the sign of the s-wave quantum mechanical scattering length. I believe this is the first time one has been able to extract the sign of the scattering amplitude in a collision experiment. These results are important in attempts to realize Bose condensation in ultra-cold atomic cesium vapor, since a stable Bose condensate demands a positive scattering length.
- We are continuing to explore low energy collisions in the atomic fountain. (Achiem Peters has taken over the work begun by Kurt Gibble after Kurt left to join the faculty at Yale University.) Based on the observed large collisional cross-section and our calculations, we believe that the last excited bound state of the cesium molecule is very close to the dissociation limit. This has raised to possibility that a molecular state can be tuned through the dissociation energy with the application of an external field. Thus, it may be possible to change the sign of the scattering length by tuning an external magnetic field! We have preliminary results that show an interesting oscillation in the phase shift for the F=1,  $m_F=+3$  state colliding with  $m_F=0$  states. If this oscillation is real, then it should also appear in the F=2,  $m_F=-3$  state and we are setting up to measure that phase shift. These measurements are delicate since the phase shifts correspond to a frequency shift on the order of 0.5 Mhz out of a microwave frequency of 9.2 Ghz.

## References published during the course of this work:

- 1. Improved Magneto-optic Trapping in a Vapor Cell, (K.E. Gibble, S. Kasapi, and S. Chu), Optics Letters 17, 526 (1992).
- 2. Future Slow Atom Frequency Standards, (K. Gibble and S. Chu), Metrologia 29, 201, (1992).
- 3. A Laser-Cooled Cs Frequency Standard and a Measurement of the Frequency Shift due to Ultra-cold Collisions, (K. Gibble and S. Chu), Phys. Rev. Lett. 70, 1771 (1993).
- 4. Cold collision properties derived from frequency shifts in a cesium fountain, (B. Verhaar, K. Gibble and S. Chu), Phys. Rev A 48, R3429 (1993).